CORRECTION

## Correction: Motor variability during resistance training: Acceleration signal as intensity indicator

Miguel López-Fernández, Fernando García-Aguilar, Pablo Asencio, Carla Caballero, Francisco J. Moreno, Rafael Sabido

The images for  $\underline{\text{Figs 1}}$  and  $\underline{2}$  are incorrectly switched. The image that appears as  $\underline{\text{Fig 1}}$  should be  $\underline{\text{Fig 2}}$ , and the image that appears as  $\underline{\text{Fig 2}}$  should be  $\underline{\text{Fig 1}}$ . The figure captions appear in the correct order. The authors have provided a corrected version of figures here.

## Reference

 López-Fernández M, García-Aguilar F, Asencio P, Caballero C, Moreno FJ, Sabido R. Motor variability during resistance training: Acceleration signal as intensity indicator. PLoS One. 2024;19(9): e0307949. https://doi.org/10.1371/journal.pone.0307949 PMID: 39298439



## GOPEN ACCESS

**Citation:** López-Fernández M, García-Aguilar F, Asencio P, Caballero C, Moreno FJ, Sabido R (2025) Correction: Motor variability during resistance training: Acceleration signal as intensity indicator. PLoS ONE 20(3): e0320873. https://doi.org/10.1371/journal.pone.0320873

Published: March 25, 2025

Copyright: © 2025 López-Fernández et al. This is an open access article distributed under the terms of the Creative Commons Attribution
License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Fig 1. Mean differences between the different percentages of loads for the measurements with the IMU device. AU: arbitrary units. Letter corresponds to the different load comparisons: b = differences versus 30%; c = difference versus 50%; d = difference versus 70%; e = difference versus 90%.

https://doi.org/10.1371/journal.pone.0320873.g001




Fig 2. Mean differences between the different percentages of loads for the measurements with the force platform. AU: arbitrary units. Letter corresponds to the different load comparisons: b = differences versus 30%; c = versus 50%; d = versus 70%; e = difference versus 90%.

https://doi.org/10.1371/journal.pone.0320873.g002